

struct	
EVENTNAME	onRequest
EXCEPTION	struct Detail An exception occurred when invoking a event handler method from Application.cfc The method name is: onRequest. Message Event Handler Exception. RootCause struct Detail [empty string] ErrNumber 0 Message Element STRTCSUBSCRIBERDETAILS.STATUS is undefined in VAR. Resolvedname VAR StackTrace coldfusion.runtime.UndefinedElementException: Element STRTCSUBSCRIBERDETAILS.STATUS is undefined in VAR. at coldfusion.runtime.CfJspPage.resolveCanonicalName(CfJspPage.java:1097) at coldfusion.runtime.CfJspPage._resolve(CfJspPage.java:1038) at coldfusion.runtime.CfJspPage._resolveAndAutoscalarize(CfJspPage.java:1137) at cfTrackConcepts2ecfc785742142\$funcISUSERINLIST.runFunction(D:\websites\XCMS_Front_End_V2\wwwroot_model\TrackConcepts.cfc:19) at coldfusion.runtime.UDFMethod.invoke(UDFMethod.java:344) at coldfusion.filter.SilentFilter.invoke(SilentFilter.java:47) at coldfusion.runtime.UDFMethod\$ReturnTypeInfoFilter.invoke(UDFMethod.java:290) at coldfusion.runtime.UDFMethod\$ArgumentCollectionFilter.invoke(UDFMethod.java:254) at coldfusion.filter.FunctionAccessFilter.invoke(FunctionAccessFilter.java:56) at coldfusion.runtime.UDFMethod.runFilterChain(UDFMethod.java:207) at coldfusion.runtime.UDFMethod.invoke(UDFMethod.java:169) at coldfusion.runtime.TemplateProxy.invoke(TemplateProxy.java:194) at coldfusion.runtime.TemplateProxy.invoke(TemplateProxy.java:146) at coldfusion.runtime.CfJspPage._invoke(CfJspPage.java:1634) at cfcontroller2ecfc1201179193\$funcACCESSLEVEL.runFunction(D:\websites\XCMS_Front_End_V2\wwwroot_controller\controller.cfc:103) at coldfusion.runtime.UDFMethod.invoke(UDFMethod.java:344) at coldfusion.runtime.UDFMethod\$ReturnTypeInfoFilter.invoke(UDFMethod.java:290) at coldfusion.runtime.UDFMethod\$ArgumentCollectionFilter.invoke(UDFMethod.java:254) at coldfusion.filter.FunctionAccessFilter.invoke(FunctionAccessFilter.java:56) at coldfusion.runtime.UDFMethod.runFilterChain(UDFMethod.java:207) at coldfusion.runtime.UDFMethod.invoke(UDFMethod.java:169) at coldfusion.runtime.TemplateProxy.invoke(TemplateProxy.java:194) at coldfusion.runtime.TemplateProxy.invoke(TemplateProxy.java:146) at coldfusion.runtime.CfJspPage._invoke(CfJspPage.java:1634) at cfindex2ecfm204966459._factor173(D:\websites\XCMS_Front_End_V2\wwwroot\index.cfm:1497) at cfindex2ecfm204966459._factor178(D:\websites\XCMS_Front_End_V2\wwwroot\index.cfm:1492) at cfindex2ecfm204966459._factor179(D:\websites\XCMS_Front_End_V2\wwwroot\index.cfm:2) at cfindex2ecfm204966459.runPage(D:\websites\XCMS_Front_End_V2\wwwroot\index.cfm:1) at coldfusion.runtime.CfJspPage.invoke(CfJspPage.java:152) at coldfusion.tagext.lang.IncludeTag.doStartTag(IncludeTag.java:349) at coldfusion.runtime.CfJspPage._emptyTag(CfJspPage.java:1915) at cfapplication2ecfc1177401624\$funcONREQUEST.runFunction(D:\websites\XCMS_Front_End_V2\wwwroot\application.cfc:96) at coldfusion.runtime.UDFMethod.invoke(UDFMethod.java:344) at coldfusion.runtime.UDFMethod\$ReturnTypeInfoFilter.invoke(UDFMethod.java:290) at coldfusion.runtime.UDFMethod\$ArgumentCollectionFilter.invoke(UDFMethod.java:254) at coldfusion.filter.FunctionAccessFilter.invoke(FunctionAccessFilter.java:56) at coldfusion.runtime.UDFMethod.runFilterChain(UDFMethod.java:207) at coldfusion.runtime.UDFMethod.invoke(UDFMethod.java:169) at coldfusion.runtime.TemplateProxy.invoke(TemplateProxy.java:194) at coldfusion.runtime.TemplateProxy.invoke(TemplateProxy.java:146) at coldfusion.runtime.AppEventInvoker.invoke(AppEventInvoker.java:72) at coldfusion.runtime.AppEventInvoker.onRequest(AppEventInvoker.java:178) at coldfusion.filter.ApplicationFilter.invoke(ApplicationFilter.java:215) at coldfusion.filter.PathFilter.invoke(PathFilter.java:86) at coldfusion.filter.ExceptionFilter.invoke(ExceptionFilter.java:69) at coldfusion.filter.ClientScopePersistenceFilter.invoke(ClientScopePersistenceFilter.java:28) at coldfusion.filter.BrowserFilter.invoke(BrowserFilter.java:38) at coldfusion.filter.GlobalsFilter.invoke(GlobalsFilter.java:38) at coldfusion.filter.DatasourceFilter.invoke(DatasourceFilter.java:22) at coldfusion.filter.RequestThrottleFilter.invoke(RequestThrottleFilter.java:115) at coldfusion.CfmServlet.service(CfmServlet.java:107) at coldfusion.bootstrap.BootstrapServlet.service(BootstrapServlet.java:78) at jrun.servlet.ServletInvoker.invoke(ServletInvoker.java:91) at jrun.servlet.JRunInvokerChain.invokeNext(JRunInvokerChain.java:42) at jrun.servlet.JRunRequestDispatcher.invoke(JRunRequestDispatcher.java:257) at jrun.servlet.ServletEngineService.dispatch(ServletEngineService.java:541) at jrun.servlet.jrpp.JRunProxyService.invokeRunnable(JRunProxyService.java:204) at jrunx.scheduler.ThreadPool\$ThreadThrottle.invokeRunnable(ThreadPool.java:426) at jrunx.scheduler.WorkerThread.run(WorkerThread.java:66)
	TagContext array 1 struct COLUMN 0 ID ?? LINE 19 RAW_TRACE at cfTrackConcepts2ecfc785742142\$funcISUSERINLIST.runFunction(D:\websites\XCMS_Front_End_V2\wwwroot_model\TrackConcepts.cfc:19) TEMPLATE D:\websites\XCMS_Front_End_V2\wwwroot_model\TrackConcepts.cfc TYPE CFML
	2 struct COLUMN 0 ID CF_TEMPLATEPROXY LINE 103 RAW_TRACE at cfcontroller2ecfc1201179193\$funcACCESSLEVEL.runFunction(D:\websites\XCMS_Front_End_V2\wwwroot_controller\controller.cfc:103) TEMPLATE D:\websites\XCMS_Front_End_V2\wwwroot_controller\controller.cfc TYPE CFML
	3 struct COLUMN 0 ID CF_TEMPLATEPROXY LINE 1497 RAW_TRACE at cfindex2ecfm204966459._factor173(D:\websites\XCMS_Front_End_V2\wwwroot\index.cfm:1497) TEMPLATE D:\websites\XCMS_Front_End_V2\wwwroot\index.cfm TYPE CFML
	4 struct COLUMN 0 ID CF_INDEX LINE 1492 RAW_TRACE at cfindex2ecfm204966459._factor178(D:\websites\XCMS_Front_End_V2\wwwroot\index.cfm:1492) TEMPLATE D:\websites\XCMS_Front_End_V2\wwwroot\index.cfm TYPE CFML

5	struct	
	COLUMN	0
	ID	CF_INDEX
	LINE	2
	RAW_TRACE	at cfindex2ecfm204966459._factor179(D:\websites\XCMS_Front_End_V2\wwwroot\index.cfm:2)
	TEMPLATE	D:\websites\XCMS_Front_End_V2\wwwroot\index.cfm
	TYPE	CFML
6	struct	
	COLUMN	0
	ID	CF_INDEX
	LINE	1
	RAW_TRACE	at cfindex2ecfm204966459.runPage(D:\websites\XCMS_Front_End_V2\wwwroot\index.cfm:1)
	TEMPLATE	D:\websites\XCMS_Front_End_V2\wwwroot\index.cfm
	TYPE	CFML
7	struct	
	COLUMN	0
	ID	CFINCLUDE
	LINE	96
	RAW_TRACE	at cfapplication2ecfc1177401624\$funcONREQUEST.runFunction(D:\websites\XCMS_Front_End_V2\wwwroot\application.cfc:96)
	TEMPLATE	D:\websites\XCMS_Front_End_V2\wwwroot\application.cfc
	TYPE	CFML

Type	Expression						
container	<table><tr><th colspan="2">array</th></tr><tr><td>1</td><td>STRTCSUBSCRIBERDETAILS</td></tr><tr><td>2</td><td>STATUS</td></tr></table>	array		1	STRTCSUBSCRIBERDETAILS	2	STATUS
array							
1	STRTCSUBSCRIBERDETAILS						
2	STATUS						
element	STRTCSUBSCRIBERDETAILS.STATUS						
objectType	<table><tr><th colspan="2">object of java.lang.Class</th></tr><tr><td>Methods</td><td>isInstance (returns boolean) getModifiers (returns int) forName (returns java.lang.Class) forName (returns java.lang.Class) getName (returns java.lang.String) toString (returns java.lang.String) desiredAssertionStatus (returns boolean) getClassLoader (returns java.lang.ClassLoader) getClasses (returns [Ljava.lang.Class;) getComponentType (returns java.lang.Class) getConstructor (returns java.lang.reflect.Constructor) getConstructors (returns [Ljava.lang.reflect.Constructor;) getDeclaredClasses (returns [Ljava.lang.Class;) getDeclaredConstructor (returns java.lang.reflect.Constructor) getDeclaredConstructors (returns [Ljava.lang.reflect.Constructor;) getDeclaredField (returns java.lang.reflect.Field) getDeclaredFields (returns [Ljava.lang.reflect.Field;) getDeclaredMethod (returns java.lang.reflect.Method) getDeclaredMethods (returns [Ljava.lang.reflect.Method;) getDeclaringClass (returns java.lang.Class) getField (returns java.lang.reflect.Field) getFields (returns [Ljava.lang.reflect.Field;) getInterfaces (returns [Ljava.lang.Class;) getMethod (returns java.lang.reflect.Method) getMethods (returns [Ljava.lang.reflect.Method;) getPackage (returns java.lang.Package) getProtectionDomain (returns java.security.ProtectionDomain) getResource (returns java.net.URL) getResourceAsStream (returns java.io.InputStream) getSigners (returns [Ljava.lang.Object;) getSuperclass (returns java.lang.Class) isArray (returns boolean) isAssignableFrom (returns boolean) isInterface (returns boolean) isPrimitive (returns boolean) newInstance (returns java.lang.Object) hashCode (returns int) getClass (returns java.lang.Class) wait (returns void) wait (returns void) wait (returns void) equals (returns boolean) notify (returns void) notifyAll (returns void)</td></tr></table>	object of java.lang.Class		Methods	isInstance (returns boolean) getModifiers (returns int) forName (returns java.lang.Class) forName (returns java.lang.Class) getName (returns java.lang.String) toString (returns java.lang.String) desiredAssertionStatus (returns boolean) getClassLoader (returns java.lang.ClassLoader) getClasses (returns [Ljava.lang.Class;) getComponentType (returns java.lang.Class) getConstructor (returns java.lang.reflect.Constructor) getConstructors (returns [Ljava.lang.reflect.Constructor;) getDeclaredClasses (returns [Ljava.lang.Class;) getDeclaredConstructor (returns java.lang.reflect.Constructor) getDeclaredConstructors (returns [Ljava.lang.reflect.Constructor;) getDeclaredField (returns java.lang.reflect.Field) getDeclaredFields (returns [Ljava.lang.reflect.Field;) getDeclaredMethod (returns java.lang.reflect.Method) getDeclaredMethods (returns [Ljava.lang.reflect.Method;) getDeclaringClass (returns java.lang.Class) getField (returns java.lang.reflect.Field) getFields (returns [Ljava.lang.reflect.Field;) getInterfaces (returns [Ljava.lang.Class;) getMethod (returns java.lang.reflect.Method) getMethods (returns [Ljava.lang.reflect.Method;) getPackage (returns java.lang.Package) getProtectionDomain (returns java.security.ProtectionDomain) getResource (returns java.net.URL) getResourceAsStream (returns java.io.InputStream) getSigners (returns [Ljava.lang.Object;) getSuperclass (returns java.lang.Class) isArray (returns boolean) isAssignableFrom (returns boolean) isInterface (returns boolean) isPrimitive (returns boolean) newInstance (returns java.lang.Object) hashCode (returns int) getClass (returns java.lang.Class) wait (returns void) wait (returns void) wait (returns void) equals (returns boolean) notify (returns void) notifyAll (returns void)		
object of java.lang.Class							
Methods	isInstance (returns boolean) getModifiers (returns int) forName (returns java.lang.Class) forName (returns java.lang.Class) getName (returns java.lang.String) toString (returns java.lang.String) desiredAssertionStatus (returns boolean) getClassLoader (returns java.lang.ClassLoader) getClasses (returns [Ljava.lang.Class;) getComponentType (returns java.lang.Class) getConstructor (returns java.lang.reflect.Constructor) getConstructors (returns [Ljava.lang.reflect.Constructor;) getDeclaredClasses (returns [Ljava.lang.Class;) getDeclaredConstructor (returns java.lang.reflect.Constructor) getDeclaredConstructors (returns [Ljava.lang.reflect.Constructor;) getDeclaredField (returns java.lang.reflect.Field) getDeclaredFields (returns [Ljava.lang.reflect.Field;) getDeclaredMethod (returns java.lang.reflect.Method) getDeclaredMethods (returns [Ljava.lang.reflect.Method;) getDeclaringClass (returns java.lang.Class) getField (returns java.lang.reflect.Field) getFields (returns [Ljava.lang.reflect.Field;) getInterfaces (returns [Ljava.lang.Class;) getMethod (returns java.lang.reflect.Method) getMethods (returns [Ljava.lang.reflect.Method;) getPackage (returns java.lang.Package) getProtectionDomain (returns java.security.ProtectionDomain) getResource (returns java.net.URL) getResourceAsStream (returns java.io.InputStream) getSigners (returns [Ljava.lang.Object;) getSuperclass (returns java.lang.Class) isArray (returns boolean) isAssignableFrom (returns boolean) isInterface (returns boolean) isPrimitive (returns boolean) newInstance (returns java.lang.Object) hashCode (returns int) getClass (returns java.lang.Class) wait (returns void) wait (returns void) wait (returns void) equals (returns boolean) notify (returns void) notifyAll (returns void)						

StackTrace	coldfusion.runtime.EventHandlerException: Event Handler Exception. at coldfusion.runtime.AppEventInvoker.onRequest(AppEventInvoker.java:186) at coldfusion.filter.ApplicationFilter.invoke(ApplicationFilter.java:215) at coldfusion.filter.PathFilter.invoke(PathFilter.java:86) at coldfusion.filter.ExceptionFilter.invoke(ExceptionFilter.java:69) at coldfusion.filter.ClientScopePersistenceFilter.invoke(ClientScopePersistenceFilter.java:28) at coldfusion.filter.BrowserFilter.invoke(BrowserFilter.java:38) at coldfusion.filter.GlobalsFilter.invoke(GlobalsFilter.java:38) at coldfusion.filter.DatasourceFilter.invoke(DatasourceFilter.java:22) at coldfusion.filter.RequestThrottleFilter.invoke(RequestThrottleFilter.java:115) at coldfusion.CfmServlet.service(CfmServlet.java:107) at coldfusion.bootstrap.BootstrapServlet.service(BootstrapServlet.java:78) at jrun.servlet.ServletInvoker.invoke(ServletInvoker.java:91) at jrun.servlet.JRunInvokerChain.invokeNext(JRunInvokerChain.java:42) at jrun.servlet.JRunRequestDispatcher.invoke(JRunRequestDispatcher.java:257) at jrun.servlet.ServletEngineService.dispatch(ServletEngineService.java:541) at jrun.servlet.jrpp.JRunProxyService.invokeRunnable(JRunProxyService.java:204) at jrunx.scheduler.ThreadPool\$ThreadThrottle.invokeRunnable(ThreadPool.java:426) at jrunx.scheduler.WorkerThread.run(WorkerThread.java:66)
------------	---

TagContext	array [empty]
------------	---------------

	Type	Expression
	name	onRequest

Site Error

A error has occurred on the site.

Message

Element STRTCSUBSCRIBERDETAILS.STATUS is undefined in VAR.

Page

Detail